


DRILLING LOG		DIVISION		INSTALLATION		Hole No. CB-ND-34	
		South Atlantic		Jacksonville District		SHEET 1 OF 1 SHEETS	
1. PROJECT North Dade County B.F.C.				10. SIZE AND TYPE OF BIT see remarks			
2. LOCATION (Coordinates or Station) X=797,993 Y=591,031				11. DATUM FOR ELEVATION SHOWN (TBM or IRL) MLW			
3. DRILLING AGENCY Oceanprobe, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL Exmar Hydraulic Vibracore			
4. HOLE NO. (As shown on drawing title and file number) CB-ND-34				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED UNDISTURBED			
5. NAME OF DRILLER B. Barth				14. TOTAL NUMBER CORE BOXES 1			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal +3.0			
7. THICKNESS OF OVERBURDEN				16. DATE HOLE STARTED 12-5-83 COMPLETED 12-5-83			
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE -60.5			
9. TOTAL DEPTH OF HOLE 12.0 ft.				18. TOTAL CORE RECOVERY FOR BORING 80 %			
19. SIGNATURE OF INSPECTOR GEOLOGIST T. Novak							

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
-60.5	0.0					Bit or Barrel
-64.3	3.8		SAND, fine to medium quartz, shell with calcium carbonates, slightly silty, occasional large shell or coral fragment, light gray	4.8'	1	-60.5 3" Barrel
-65.3	4.8		Numerous coral fragments with shell from -64.3 to -65.3			-65.3 Cut
-71.8	11.3		Predominantly fine to medium quartz with calcium carbonates, slightly shelly from -65.3 to -71.8	4.6'	2	"
-72.3	11.8		Layer of shell on top of sandstone from -71.8 to -72.3			-69.9 Cut
-72.5	12.0		SANDSTONE, medium hard	0.2'		-70.1 Bit Sample
						LABORATORY CLASSIFICATION
						SAMPLE LAB
						NO. CLASS.
						#1 61.0-61.5 (SP)
						#2 67.0-67.5 (SM)

010-18



7-119

Req. No. RM-CW-83-0152

