

Hole No. CB-DAC-180


DRILLING LOG		DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT DADE COUNTY SPP		10. SIZE AND TYPE OF BIT 3 1/2" Drive Shoe		
2. LOCATION (Coordinates or Station) X=788113.9 Y=49885.6.3		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY ALPINE OCEAN SURVEY, INC.		12. MANUFACTURER'S DESIGNATION OF DRILL VIBRACORE		
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-180		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0		
5. NAME OF DRILLER NICK PRICE		14. TOTAL NUMBER OF CORE BOXES 2		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER Tide = +3.7		
7. THICKNESS OF BURDEN 0 Ft.		16. DATE HOLE STARTED COMPLETED 7/4/86 1125		
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -31.8 Ft.		
9. TOTAL DEPTH OF HOLE 19.8 Ft.		18. TOTAL CORE RECOVERY FOR BORING 88 %		
		19. SIGNATURE OF GEOLOGIST ROCKLAND BURR		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-31.8	0					-31.8
			Sand, fine to coarse grained, light brown, some shell fragments (SP)			Lat-Lon 25 42 21.8N 80 05 40.7W Laboratory Data Depth USCS SpG. 1.0 SP 8.5 SP 12.0 SP-SM 16.5 SM
-40.3	8.5		Sand, fine to medium grained, light brown, mostly shell fragments (SP-SM)			
-45.4	13.6		Silty sand, fine grained, light brown, some shell fragments (SM)			
-51.4	19.6		End of Boring			
			Soils are field visually classified in accordance with the Unified Soils Classification System.			

END FORM 1036 PREVIOUS EDITIONS ARE OBSOLETE.
RAC 71

PROJECT
DADE COUNTY SPP
01000-G12


HOLE NUMBER
CB-DAC-180




GRAVEL		SAND			SILT	CLAY
COARSE	FINE	COARSE	MEDIUM	FINE		

SAMPLE LOCATION	DEPTH	SYMBOL	UNIFIED CLASS.
CB-DAC-180	1.0	●	SP

GRAIN-SIZE DISTRIBUTION

 Ardaman & Associates, Inc. Geotechnical, Environmental and Materials Consultants			
Dade County SSP			
DRAWN BY: GDS FILE NO. 96-026	CHECKED BY: APPROVED BY:	DATE: August, 1996 FIGURE:	

01000-G35



GRAVEL		SAND			SILT	CLAY
COARSE	FINE	COARSE	MEDIUM	FINE		

SAMPLE LOCATION	DEPTH	SYMBOL	UNIFIED CLASS.
CB-DAC-180	8.5	●	SP

GRAIN-SIZE DISTRIBUTION

Ardaman & Associates, Inc.
Geotechnical, Environmental and
Materials Consultants

Dade County SSP

DRAWN BY: GDS	CHECKED BY:	DATE: August, 1996
FILE NO. 96-026	APPROVED BY:	FOUR:

01000-G36

