



Figure A-37: Comparison of borrow area (PK-37) and native beach grain size distributions, Perdido Key, FL.



Gravel		Sand			Silt and Clay	
Coarse		Fine	Coarse	Medium	Fine	

Sample	Symbol	Elev. (ft)	USCS	% Fines	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
PK-37 #1.0	—●—	-33.2	SP	#200 - 1.80			2.16	1.96	-1.78	7.2	0.85	Project Name:	Escambia County, FL Sand Search 05
Comments:												Analysis Date:	09-15-05
Depths and elevations based on measured values												Analyzed By:	SEA Inc.
												Easting (X, ft):	1,026,016
												Northing (Y, ft):	470,539
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88

Scientific Environmental Applications
5575 Willoughby Drive
Melbourne, FL 32934
ph 321 254-2708
fax 321 254-2708



Gravel			Sand			Silt and Clay							
Coarse		Fine	Coarse	Medium	Fine								
Sample	Symbol	Elev. (ft)	USCS	% Fines #200 - 1.23 #230 - 1.16	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
PK-37 #5.0	—●—	-37.2	SP				2.44	2.4	-2.16	13.49	0.5	Project Name:	Escambia County, FL Sand Search 05
Comments:												Analysis Date:	09-15-05
Depths and elevations based on measured values												Analyzed By:	SEA Inc.
												Easting (X, ft):	1,026,016
												Northing (Y, ft):	470,539
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88

