

Project Name		South Atlantic		Geological Setting	
Project Name		Indian River County Beach Restoration		Geological Setting	
<u>Project Address</u>		Alpine Construction Inc (Contract)		N/A	
<u>Address</u>		CB-20		N/A	
<u>Owner's Name</u>		J. Brantley		N/A	
<u>Address</u>		N/A		N/A	
<u>Contractor</u>		Alpine Construction Inc (Contract)		N/A	
<u>Address</u>		N/A		N/A	
<u>Permit Number</u>		N/A		N/A	
<u>Total Depth of Drilled</u>		19.8'		19.8'	
<u>Top Depth</u>		0.0'		0.0'	
<u>Bottom Depth</u>		19.8'		19.8'	
<u>Top Sample No.</u>		19.8'		19.8'	
<u>Bottom Sample No.</u>		0.0'		0.0'	
<u>Top Sample Description</u>		N/A		N/A	
<u>Bottom Sample Description</u>		N/A		N/A	
<u>Top Sample Type</u>		N/A		N/A	
<u>Bottom Sample Type</u>		N/A		N/A	
<u>Top Sample Size</u>		N/A		N/A	
<u>Bottom Sample Size</u>		N/A		N/A	
<u>Top Sample Weight</u>		N/A		N/A	
<u>Bottom Sample Weight</u>		N/A		N/A	
<u>Top Sample Density</u>		N/A		N/A	
<u>Bottom Sample Density</u>		N/A		N/A	
<u>Top Sample Specific Gravity</u>		N/A		N/A	
<u>Bottom Sample Specific Gravity</u>		N/A		N/A	
<u>Top Sample Voids</u>		N/A		N/A	
<u>Bottom Sample Voids</u>		N/A		N/A	
<u>Top Sample Water Content</u>		N/A		N/A	
<u>Bottom Sample Water Content</u>		N/A		N/A	
<u>Top Sample Organic Content</u>		N/A		N/A	
<u>Bottom Sample Organic Content</u>		N/A		N/A	
<u>Top Sample Loss On Ignition</u>		N/A		N/A	
<u>Bottom Sample Loss On Ignition</u>		N/A		N/A	
<u>Top Sample Bulk Density</u>		N/A		N/A	
<u>Bottom Sample Bulk Density</u>		N/A		N/A	
<u>Top Sample Saturated Bulk Density</u>		N/A		N/A	
<u>Bottom Sample Saturated Bulk Density</u>		N/A		N/A	
<u>Top Sample Dry Density</u>		N/A		N/A	
<u>Bottom Sample Dry Density</u>		N/A		N/A	
<u>Top Sample Wet Density</u>		N/A		N/A	
<u>Bottom Sample Wet Density</u>		N/A		N/A	
<u>Top Sample Dry Specific Gravity</u>		N/A		N/A	
<u>Bottom Sample Dry Specific Gravity</u>		N/A		N/A	
<u>Top Sample Wet Specific Gravity</u>		N/A		N/A	
<u>Bottom Sample Wet Specific Gravity</u>		N/A		N/A	
<u>Top Sample Dry Unit Weight</u>		N/A		N/A	
<u>Bottom Sample Dry Unit Weight</u>		N/A		N/A	
<u>Top Sample Wet Unit Weight</u>		N/A		N/A	
<u>Bottom Sample Wet Unit Weight</u>		N/A		N/A	
<u>Top Sample Dry Compaction Factor</u>		N/A		N/A	
<u>Bottom Sample Dry Compaction Factor</u>		N/A		N/A	
<u>Top Sample Wet Compaction Factor</u>		N/A		N/A	
<u>Bottom Sample Wet Compaction Factor</u>		N/A		N/A	
<u>Top Sample Dry CBR</u>		N/A		N/A	
<u>Bottom Sample Dry CBR</u>		N/A		N/A	
<u>Top Sample Wet CBR</u>		N/A		N/A	
<u>Bottom Sample Wet CBR</u>		N/A		N/A	
<u>Top Sample Dry Atterberg Limit</u>		N/A		N/A	
<u>Bottom Sample Dry Atterberg Limit</u>		N/A		N/A	
<u>Top Sample Wet Atterberg Limit</u>		N/A		N/A	
<u>Bottom Sample Wet Atterberg Limit</u>		N/A		N/A	
<u>Top Sample Dry Liquid Limit</u>		N/A		N/A	
<u>Bottom Sample Dry Liquid Limit</u>		N/A		N/A	
<u>Top Sample Wet Liquid Limit</u>		N/A		N/A	
<u>Bottom Sample Wet Liquid Limit</u>		N/A		N/A	
<u>Top Sample Dry Plastic Limit</u>		N/A		N/A	
<u>Bottom Sample Dry Plastic Limit</u>		N/A		N/A	
<u>Top Sample Wet Plastic Limit</u>		N/A		N/A	
<u>Bottom Sample Wet Plastic Limit</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Limit</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Limit</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Limit</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Limit</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Factor</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Dry Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Bottom Sample Wet Shrinkage Coefficient</u>		N/A		N/A	
<u>Top Sample Dry Shrinkage Factor</u>		N/A		N/A	