

Table A.3 Port Canaveral Nearshore Disposal Samples : Immediate Post-Project Sediment Samples (S-XX)

| Sample | Florida State Plane Coordinates (ft) | Percent Passing | | | | | | | | Estimated Shell Content (%) |
|--------|--|-----------------|--------|--------|---------|---------|---------|---------|---------|-----------------------------------|
| | | No. 40 | No. 60 | No. 80 | No. 100 | No. 140 | No. 170 | No. 200 | No. 230 | |
| S-1 | E 627,770 N 1,455,560 | 99.7 | 99.4 | 98.4 | 96.4 | 53.4 | 34.3 | 10.8 | 3.3 | 0.3-0.5 |
| S-2 | E 627,720 N 1,454,840 | 99.8 | 99.9 | 98.6 | 97.0 | 51.2 | 32.1 | 15.0 | 8.7 | 0.2-0.6 |
| S-3 | E 627,690 N 1,454,000 | 99.9 | 99.6 | 99.1 | 98.0 | 53.2 | 43.8 | 19.2 | 10.5 | 0.1-0.3 |
| S-4 | E 627,630 N 1,443,410 | 99.9 | 99.6 | 99.1 | 98.7 | 64.4 | 46.3 | 20.2 | 10.0 | 0-0.3 |
| S-5 | E 627,590 N 1,452,660 | 99.9 | 99.7 | 99.2 | 98.0 | 64.2 | 48.4 | 21.1 | 11.8 | 0.1 |
| S-6 | E 627,550 N 1,451,830 | 99.9 | 99.6 | 99.1 | 98.2 | 68.1 | 50.1 | 20.4 | 11.9 | 0.1 |
| S-7 | E 627,500 N 1,451,000 | 99.8 | 99.6 | 99.1 | 98.8 | 70.4 | 50.6 | 20.7 | 11.0 | 0.2-0.3 |
| S-8 | E 627,860 N 1,451,450 | 99.8 | 99.6 | 99.2 | 98.5 | 68.0 | 49.6 | 21.5 | 12.4 | 0.2 |
| S-9 | E 627,900 N 1,452,230 | 99.8 | 99.5 | 99.1 | 98.4 | 67.6 | 47.2 | 21.2 | 13.1 | 0.2 |
| S-10 | E 627,950 N 1,452,960 | 99.9 | 99.5 | 98.3 | 96.0 | 61.4 | 42.2 | 14.5 | 9.3 | 0.1 |
| S-11 | E 627,980 N 1,453,700 | 99.8 | 99.5 | 98.8 | 97.5 | 54.0 | 35.1 | 18.9 | 11.5 | 0.2 |
| S-12 | E 628,020 N 1,454,360 | 99.8 | 99.6 | 98.1 | 93.9 | 48.8 | 33.4 | 12.9 | 7.9 | 0.2 |
| S-13 | E 628,070 N 1,455,100 | 99.7 | 99.3 | 98.6 | 96.9 | 62.0 | 41.9 | 20.1 | 11.0 | 0.3 |
| S-14 | E 628,530 N 1,455,530 | 99.8 | 99.0 | 93.4 | 82.3 | 23.0 | 11.9 | 6.4 | 4.2 | 0.2 |
| S-15 | E 628,500 N 1,455,090 | 91.3 | 88.8 | 84.0 | 73.0 | 17.0 | 7.1 | 3.3 | 2.5 | 7.0-8.7 |





Figure C.4 Cross-Shore Sediment and Bathymetric Data : Station 1750.