

Hole No. CB-MC99-5

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 1 SHEETS		
1. PROJECT MARTIN COUNTY			10. SIZE AND TYPE OF BIT 4" dia. Vibracore			
2. LOCATION (Longitude or Station) X 776620 Y 1045781			11. DATUM FOR ELEVATION SHOWN MLLW			
3. DRILLING AGENCY WILMINGTON DISTRICT			12. MANUFACTURER'S DESIGNATION OF DRILL VIBRA-CORE (SNELL)			
4. HOLE NO. (As shown on drawing 1110 and 711 number) CB-MC99-5			13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED 2 UNDISTURBED 0			
5. NAME OF DRILLER JERRY FULCHER CRANE OPERATOR			14. TOTAL NUMBER CORE BOXES N/A			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER N/A			
7. THICKNESS OF OVERBURDEN N/A			16. DATE HOLE STARTED 08/25/99 COMPLETED 08/25/99			
8. DEPTH DRILLED INTO ROCK 0.0'			17. ELEVATION TOP OF HOLE -27.0 MLLW			
9. TOTAL DEPTH OF HOLE 12.0'			18. TOTAL CORE RECOVERY FOR BORING N/A			
			19. SIGNATURE OF INSPECTOR Bob Keistler, PE			
ELEVATION MLLW	DEPTH feet	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc. if significant)
-27.0	0		SAND - poorly graded SILTY, FINE TO medium, GRAY, WITH SHELL FRAGMENTS. (SP-SM)		1	Time Begin Vibracoring: 11:55 hrs. Soils field classified by Larry Benjamin, Civil Engineer Technician
	0.5'					
	3.0'					
	2 3.5'					
-33.3	6.3		6.3'			
			ASSUMED NOT RECOVERED			
	8					
	10					
-39.0	12		BOTTOM OF HOLE AT 12.0'			
			SOILS ARE FIELD VISUALLY CLASSIFIED IN ACCORDANCE WITH THE UNIFIED SOIL CLASSIFICATION SYSTEM			

VIBRACORE BORING
From 0.0' to 12.0'
Roi: 12.0' Rec: 6.3'

PRELIMINARY