

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Jacksonville District	SHEET 1 OF 1
1. PROJECT Brevard Borrow Area		10. SIZE AND TYPE OF BIT Vibracore	
2. LOCATION (Coordinates or Station) X=659,446 Y=1484,879		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW	
3. DRILLING AGENCY ARDAMAN & ASSOCIATES, INC.		12. MANUFACTURER'S DESIGNATION OF DRILL Alpine Air Drill	
4. HOLE NO. (As shown on drawing title and file number) CB-BEV98-3		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
5. NAME OF DRILLER O. Hernandez		14. TOTAL NUMBER OF CORE BOXES 0	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER Tide = +2.9	
7. THICKNESS OF BURDEN 19.8 Ft.		16. DATE HOLE STARTED COMPLETED 5/1/98 5/1/98	
8. DEPTH DRILLED INTO ROCK 0.0 Ft.		17. ELEVATION TOP OF HOLE -20.6 Ft.	
9. TOTAL DEPTH OF HOLE 19.8 Ft.		18. TOTAL CORE RECOVERY FOR BORING 66 %	
19. SIGNATURE OF GEOLOGIST ROCKLAND BURR			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-20.6	0					-20.6
-22.1	1.5		Sand, fine to medium grained, brown, a little shell (SP)			Lat/Lon 28 25 03N 80 30 13W
-23.6	3.0		Sand, fine to medium grained, gray, trace of shell (SP)			
			Sand, fine grained, gray, trace of shell, lenses of clay (SP)			
-29.6	9.0		Silty sand, fine grained, gray, lenses of clay (SM)			
-40.4	19.8		End of Boring at 19.8'			
			Soils are field visually classified in accordance with the Unified Soils Classification System.			