

Hole No. CB-26

DRILLING LOG		Tetra Tech, Inc.	INSTALLATION	SHEET OF SHEETS
1. PROJECT South Seas Plantation Beach Improvement		10. SIZE AND TYPE OF BIT 3" Summit		
2. LOCATION (Coordinates or Station) $y = 430,696$; $v = 805,759$		11. DATUM FOR ELEVATION SHOWN (TUM or MSL) - MSL		
3. DRILLING AGENCY Ocean Seismic Survey, Inc.		12. MANUFACTURER'S DESIGNATION OF DRILL VIBRACORE		
4. HOLE NO. (As shown on boring log and file number) CB-26		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED UNDISTURBED		
5. NAME OF DRILLER Hume/Oblinger		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEG. FROM VERT.		15. ELEVATION GROUND WATER Tidal		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED 29 Mar 79 COMPLETED		
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE -10'		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING %		
		19. SIGNATURE OF INSPECTOR H. Miller (OSS); E. J. Olsen (Tc)		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE RECOV- ERY %
*	b	c	d	sample no. e
-10.0	0.0		Shell, light gray, loose.	1
-10.9	0.9		Sand, light gray, fine, compact; trace fine shell fragments.	2
-14.2	4.2		Gray silty fine sand with shell fragments. (SM)	3
-15.1	5.1		Sand, light gray, fine, compact.	4
-16.3	6.8		Sand, medium compact medium to fine; some silt little shell fragments. (SP)	5
-18.3	8.3		Gray silty fine sand; some clay; shell fragments, med. compact. (SM)	
-20.2	10.2			
-22.1	12.1		Gray silty fine sand, very very soft - soupy. (SM)	6
-25.6	15.6		Cemented shell fragments in soft matrix of fine sandy silt, brownish gray.	8
-26.5	16.5		Gray silty fine sand, very very soft - soupy. (SM)	7
-28.0	18.0		Same as 8 above	8
-30.1	20.1			
REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)				
EXISTING				

PC