

Hole No. CB-12

DRILLING LOG		Tetra Tech, Inc.	INSTALLATION	SHEET OF SHEETS
1. PROJECT South Seas Plantation Beach Improvement		10. SIZE AND TYPE OF BIT 3" Sampler		
2. LOCATION (Coordinate or Station) X = 429,585 Y = 805,291		11. DATUM FOR ELEVATION SHOWN (LBM or MSL) MSL		
3. DRILLING AGENCY Ocean Seismic Survey, Inc.		12. MANUFACTURER'S DESIGNATION OF DRILL VIBRACORE		
4. HOLE NO. (As shown on drawing title and file number) CB-12		13. TOTAL NO. OF OVER- BURDEN SAMPLES TAKEN		
5. NAME OF DRILLER Hume/Oblinger		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEG. FROM VERT.		15. ELEVATION GROUND WATER Tidal		
7. THICKNESS OF OVERTURDEN		16. DATE HOLE STARTED COMPLETED		
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE -18'		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING %		
		19. SIGNATURE OF INSPECTOR H. Miller (OSS); E. J. Olsen (Tt)		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE RECOVERY % SAMPLE NO.
				REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
-18.0	0.0		Sand and silt, brownish gray; little shell fragments, medium compact. (SM)	1
-19.4	1.4		Silty fine sand, brownish gray; and shell fragments plus $\frac{1}{4}$ shells, soft, loose. (SM)	
-20.8	2.8		Silty fine sand, brownish gray; and whitish fine sand, loose.	
-21.6	3.6		Silty fine sand, brownish gray soft	
-23.9	5.9		Silty fine sand, brownish gray; very loose; some marl and partially decomposed shell fragments. (SM)	2
-28.1	10.1		Cemented shell fragments and marl cobbles, angular, very rough edges, compact cobble units, soupy	3
-36.7	18.7		Marl, whitish gray, very soupy, loose, and cemented shell fragments. Light gray silty fine sand.	4
-38.1	20.1		Sand, brownish gray, fine; trace silt, medium compact; little shell fragments. (SM)	5