

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1 SHEETS	
1. PROJECT Walton County Borrow Area A Walton County, Florida				9. SIZE AND TYPE OF BIT			
2. BORING DESIGNATION WA-64				10. COORDINATE SYSTEM/DATUM Florida State Plane North		HORIZONTAL NAD 1983	
3. DRILLING AGENCY				11. MANUFACTURER'S DESIGNATION OF DRILL Vibrocure		VERTICAL NAVD 88	
4. NAME OF DRILLER Alpine				12. TOTAL SAMPLES		DISTURBED	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				13. TOTAL NUMBER CORE BOXES		14. ELEVATION GROUND WATER	
6. THICKNESS OF OVERBURDEN 0.0 Ft.				15. DATE BORING		STARTED 08-30-06 17:09	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.				16. ELEVATION TOP OF BORING -69.8 Ft.		COMPLETED 08-30-06 17:12	
8. TOTAL DEPTH OF BORING 18.2 Ft.				17. TOTAL RECOVERY FOR BORING 15.9 Ft.			
				18. SIGNATURE AND TITLE OF INSPECTOR			

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-69.8	0.0					
					WA-64 0'	Sample #WA-64 0', Depth = 0.0'
					WA-64 1.5'	Sample #WA-64 1.5', Depth = 1.5'
					WA-64 3.0'	Sample #WA-64 3.0', Depth = 3.0'
					WA-64 4.5'	Sample #WA-64 4.5', Depth = 4.5'
					WA-64 6.0'	Sample #WA-64 6.0', Depth = 6.0'
					WA-64 7.5'	Sample #WA-64 7.5', Depth = 7.5'
					WA-64 9.0'	Sample #WA-64 9.0', Depth = 9.0'
					WA-64 10.5'	Sample #WA-64 10.5', Depth = 10.5'
-81.9	12.1				WA-64 12.0'	Sample #WA-64 12.0', Depth = 12.0'
-82.8	13.0		Fine sand., (SP).		WA-64 13.5'	Sample #WA-64 13.5', Depth = 13.5'
			Medium sand. Abundant shells at 13' to 14.8'. A piece of cloth at 15.1', which is still in good shape., (SP).			
-86.1	16.3					
			End of Boring			

FLORIDA DEP ROSS WALTON COUNTY DETAIL PHASE II.GPJ FL DEP ROSS.GDT 09/12/07