

| DRILLING LOG   |                       | DIVISION<br><b>SOUTH ATLANTIC</b> |  | INSTALLATION<br><b>MOBILE DISTRICT</b>   |                                   | Hole No. <b>V-20-94</b><br>SHEET <b>1</b><br>OF <b>1</b> SHEETS                                   |  |
|--|-----------------------|-----------------------------------|--|--|-----------------------------------|---|--|
| 1. PROJECT<br><b>BAY CO FL OFFSHORE<br/>PANAMA CITY BEACHES NOURISHMENT</b>  |                       |                                   |  | 10. SIZE AND TYPE OF BIT<br><b>3.5" x 25' VIBRACORE</b>  |                                   |   |  |
| 2. LOCATION (Coordinates or Station)<br><b>ZONE FLN: N 455669 E 1542366</b>  |                       |                                   |  | 11. ELEVATION DATUM<br><b>NGVD, FOOT U.S.</b><br><b>COORDINATE DATUM STATE PLANE, NAD27, FOOT U.S.</b>                                 |                                   |   |  |
| 3. DRILLING AGENCY<br><b>TET, INC.</b>   |                       |                                   |  | 12. MANUFACTURER'S DESIGNATION OF DRILL<br><b>VIBRACORE</b>  |                                   |   |  |
| 4. HOLE NO. (As shown on drawing title and file number)<br><b>V-20-94</b>  |                       |                                   |  | 13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN<br><b>4</b>   |                                   | UNDISTURBED<br><b>0</b>   |  |
| 5. NAME OF DRILLER<br><b>CHARLIE WESTON</b>  |                       |                                   |  | 14. TOTAL NUMBER CORE BOXES<br><b>0</b>  |                                   |   |  |
| 6. DIRECTION OF HOLE<br><input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED    DEG. FROM VERTICAL |                       |                                   |  | 15. ELEVATION GROUNDWATER  |                                   |   |  |
| 7. THICKNESS OF OVERBURDEN<br><b>-</b>   |                       |                                   |  | 16. DATE HOLE<br>STARTED <b>29 NOV 94</b> COMPLETED <b>29 NOV 94</b>   |                                   |   |  |
| 8. DEPTH DRILLED INTO ROCK<br><b>-</b>   |                       |                                   |  | 17. ELEVATION TOP OF HOLE<br><b>EL. -30.5</b>  |                                   |   |  |
| 9. TOTAL DEPTH OF HOLE<br><b>17.0 (EL. -47.5)</b>  |                       |                                   |  | 18. TOTAL CORE RECOVERY FOR BORING<br><b>0</b>   |                                   |   |  |
|  |                       |                                   |  | 19. SIGNATURE OF INSPECTOR<br><b>BRAD RALPH</b> DRAFTED <input type="checkbox"/> CHECKED <input type="checkbox"/><br><b>BCR    BCR</b> |                                   |   |  |
| ELEVATION<br><sub>a</sub>  | DEPTH<br><sub>b</sub> | LEGEND<br><sub>c</sub>            | CLASSIFICATION OF MATERIALS<br>(Description)<br><sub>d</sub> | % CORE RECOVERY OR W.C.<br><sub>e</sub>  | BOX OR SAMPLE NO.<br><sub>f</sub> | REMARKS<br>(Drilling time, water loss, depth of weathering, etc., if significant)<br><sub>g</sub> |  |
| -30.5  | 0.0                   | • • • • •                         | (SP) White medium to fine SAND, trace shell                  | 87%<br>RECOV   | S-1                               | LAB: (SP), 2% FINES (FINER THAN #200 SIEVE)   |  |
|  | 3.0                   | • • • • •                         |  |  |                                   |   |  |
|  | 6.0                   | • • • • •                         |  |  |                                   |   |  |
|  | 9.0                   | • • • • •                         |  |  |                                   |   |  |
|  | 12.0                  | • • • • •                         | (SP) White to brown medium to fine SAND                      | 87%<br>RECOV   | S-2                               | LAB: (SP), 1% FINES   |  |
|  | 13.8                  | • • • • •                         |  |  |                                   |   |  |
| -44.3  | 13.8                  | • • • • •                         | (SP) Brown to dark gray medium to fine SAND                  | 87%<br>RECOV   | S-3                               | LAB: (SP), 3% FINES   |  |
|  | 14.8                  | • • • • •                         |  |  |                                   |   |  |
| -45.3  | 14.8                  | • • • • •                         | (SP-SM) Dark gray gray medium to fine SAND                   | 87%<br>RECOV   | S-4                               | LAB: (SP), 5% FINES   |  |
|  | 17.0                  | • • • • •                         |  |  |                                   |   |  |
| -47.5  | 17.0                  | X                                 | SAMPLE NOT RECOVERED   |  | X                                 | B.O.H.  |  |
|  |                       |                                   |  |  |                                   |   |  |