



| DRILLING LOG | | DIVISION | | INSTALLATION | | SHEET 1 OF 1 SHEETS | |
|---|--|---|--|--|--|--|--|
| 1. PROJECT Gulf County Supplemental Port St. Joseph, Florida | | | | 9. SIZE AND TYPE OF BIT 2.0 In. | | | |
| | | | | 10. COORDINATE SYSTEM/DATUM Florida State Plane North | | HORIZONTAL NAD 1983 | |
| 2. BORING DESIGNATION C-304 | | LOCATION COORDINATES X = 1,677,993.01 Y = 257,846. | | 11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER | | | |
| 3. DRILLING AGENCY | | CONTRACTOR FILE NO. | | 12. TOTAL SAMPLES | | DISTURBED UNDISTURBED (UD) | |
| 4. NAME OF DRILLER Athena | | | | 13. TOTAL NUMBER CORE BOXES | | | |
| 5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED | | DEG. FROM VERTICAL | | BEARING | | 14. ELEVATION GROUND WATER | |
| 6. THICKNESS OF OVERBURDEN 0.0 Ft. | | | | 15. DATE BORING | | STARTED 07-25-06 COMPLETED 07-25-06 | |
| 7. DEPTH DRILLED INTO ROCK 0.0 Ft. | | | | 16. ELEVATION TOP OF BORING -35.0 Ft. | | | |
| 8. TOTAL DEPTH OF BORING 12.0 Ft. | | | | 17. TOTAL RECOVERY FOR BORING 11.2 Ft. | | | |
| | | | | 18. SIGNATURE AND TITLE OF INSPECTOR LA Coastal Geologist | | | |

| ELEV. (ft) | DEPTH (ft) | LEGEND | CLASSIFICATION OF MATERIALS Depths and elevations based on measured values | % REC. | BOX OR SAMPLE | REMARKS |
|---------------|---------------|--|--|-----------|------------------|--------------------------------|
| -35.0 | 0.0 | | | | | |
| | |  | Fine grained quartz sand with trace coarse blackened shell fragments. Abundant shell fragments from 3.5'-4.5'. Abrupt contact, very pale brown (10YR-8/2), (SP). | | 1 | Sample #1, Depth = 0.5' - 0.8' |
| | | | | | 2 | Sample #2, Depth = 3.0' - 3.3' |
| -39.4 | 4.4 |  | Organic-rich muddy sand. Increasing organics with depth, dark gray (10YR 4/1) to, black (10YR-2/1), (SM). | | | |
| | | | | | | |
| -46.2 | 11.2 | | | | | |
| | | | End of Boring | | | |