

Boring Designation PB-96-C57

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1 SHEETS	
1. PROJECT Juno Historic Palm Beach County				9. SIZE AND TYPE OF BIT			
2. BORING DESIGNATION PB-96-C57		LOCATION COORDINATES X = 966,634 Y = 958,065		10. COORDINATE SYSTEM/DATUM Florida State Plane East		HORIZONTAL NAD 1983	
3. DRILLING AGENCY Olsen Associates Inc		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL 4-inch Alpine Pneumatic		VERTICAL NAVD 88	
4. NAME OF DRILLER Alpine Ocean Seismic Survey, Inc.				12. TOTAL SAMPLES		DISTURBED UNDISTURBED (UD)	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				13. TOTAL NUMBER CORE BOXES		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
6. THICKNESS OF OVERBURDEN 0.0 Ft.		DEG. FROM VERTICAL		14. ELEVATION GROUND WATER		15. DATE BORING 08-01-96	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.		BEARING		16. ELEVATION TOP OF BORING -65.5 Ft.		COMPLETED 08-01-96	
8. TOTAL DEPTH OF BORING 20.2 Ft.				17. TOTAL RECOVERY FOR BORING 20.2 Ft.		18. SIGNATURE AND TITLE OF INSPECTOR	
ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS	
-65.5	0.0						
					0.5	Sample #0.5, Depth = 0.5'	
					3.0	Sample #3.0, Depth = 3.0'	
			Gray-to-dark gray, medium-to-fine sand and shell, shell fragments and whole shell, (SW).		6.0	Sample #6.0, Depth = 6.0'	
					9.0	Sample #9.0, Depth = 9.0'	
-75.6	10.1						
-76.4	10.9		Gray, fine, silty sand and fine shell fragments, (SM).		11.0	Sample #11.0, Depth = 11.0'	
						12.5'-12.7' Mud layer.	
					15.0	Sample #15.0, Depth = 15.0'	
			Gray, fine sand and fine shell fragments, some silt, (SM).				
					18.0	Sample #18.0, Depth = 18.0'	
						16.2'-16.3' Mud layer.	
-85.5	20.0				Comp	Sample #Comp, Depth = 19.5'	
-85.7	20.2		Lithified carbonate and silt, (SM).			Composite	
			End of Boring				