

BROMWELL &  
CARRIER, INC.

## TEST BORING REPORT

HOLE NO. LB-13PROJECT: LONGBOAT KEYCLIENT: ATMCONTRACTOR: TETFILE NO. 8102SHEET NO. 1 of 1

LOCATION: \_\_\_\_\_

ELEVATION: \_\_\_\_\_

DATE START: 3-15-89DATE FINISH: 3-15-89DRILLER: JAYINSPECTOR: MRB

## GROUNDWATER

## DEPTH TO:

## CASING

## SAMPLER

CORE  
BARREL

DATE	TIME	WATER	BOTTOM OF CASING	BOTTOM OF HOLE
3/15	10:09	10:35 <sup>AM</sup>		

TYPE:

SIZE I.D.:

HAMMER WT.:

HAMMER FALL:

SPT

1 3/8"

140#

30"

DEPTH	SAMP. NO.	CASING BLOWS PER FOOT	SAMPLER BLOWS PER 6 INCHES	SPT BLOWS PER FOOT	STRATA CHANGE
-------	--------------	--------------------------------	-------------------------------------	-----------------------------	------------------

## FIELD CLASSIFICATION AND REMARKS

WATER DEPTH 10'8" @ 8:40<sup>AM</sup> (START)WATER DEPTH 10'9" @ 10:15<sup>AM</sup> (FINISH)~~WATER DEPTH 10'8" @ 8:40<sup>AM</sup> (START)~~  
DENSE LT. TAN-GREY VERY FINE GR. CLEAN SAND W/TRACE OF SHELL

SAME, COMPACT, LT. GREY

SAME, NO SHELL

2" LENS OF SHELL @ 21'

COMPACT GREY VERY FINE GR. SL. SILTY SAND W/SOME SHELL

COMPACT LT. TAN FINE GR. CLEAN SAND

COMPACT LT. GREY SL. SILTY VERY FINE GR. SAND W/SOME SHELL

LOOSE GREY SILT &amp; SHELL W/SOME VERY FINE GR. SAND

BOH @ 30.5'

BLOWS/FT.	DENSITY	BLOWS/FT.	CONSISTENCY	SAMPLE IDENTIFICATION
0 - 4	VERY LOOSE	0 - 2	VERY SOFT	S _____ SPLIT SPOON
4 - 10	LOOSE	2 - 4	SOFT	T _____ THIN WALL TUBE
10 - 30	COMPACT/M. DENSE	4 - 8	FIRM	U _____ UNDISTURBED PISTON
30 - 50	DENSE	8 - 15	STIFF	O _____ OPEN END ROD
50 +	VERY DENSE	15 - 30	VERY STIFF	W _____ WASH SAMPLE

