

## TEST BORING REPORT

HOLE NO. LB-25PROJECT: LONGBOAT KEYCLIENT: ATMCONTRACTOR: TETFILE NO. 8102SHEET NO. 1 of 2

LOCATION: \_\_\_\_\_

ELEVATION: \_\_\_\_\_

DATE START: 3-20-89DATE FINISH: 3-20-89DRILLER: JAYINSPECTOR: MBR

## GROUNDWATER

## DEPTH TO:

## CASING

## SAMPLER

CORE  
BARREL

DATE

TIME

WATER

BOTTOM OF  
CASINGBOTTOM OF  
HOLE

TYPE:

SIZE I.D.:

HAMMER WT.:

HAMMER FALL:

SPT

1 3/8"

140#

30"

DEPTH	SAMP. NO.	CASING BLOWS PER FOOT	SAMPLER BLOWS PER 6 INCHES	SPT BLOWS PER FOOT	STRATA CHANGE
5					
10					
15					
20					
25	1		3	13	SP
			6		
			7		
			11		
			5		
			8		
	2		7	15	
			4		
			1		
			1	1	SP / SM
	3		0		
			2		
			5		
			2		
	4		2	4	
			3		
30			4		
			3		

## FIELD CLASSIFICATION AND REMARKS

WATER DEPTH @ 21'0" @ 10:25 AM (START)

WATER DEPTH 21'0" @ 12:10 PM (FINISH)

XXXXXXXXXXXX  
COMPACT LT. GREY VERY FINE GR. CLEAN SAND

VERY LOOSE TAN SILT &amp; SHELL FRAG.

VERY LOOSE GREY-TAN SILT &amp; SHELL W/ TRACE OF VERY FINE GR. SAND.

BLOWS/FT.	DENSITY	BLOWS/FT.	CONSISTENCY	SAMPLE IDENTIFICATION
0 - 4	VERY LOOSE	0 - 2	VERY SOFT	S _____ SPLIT SPOON
4 - 10	LOOSE	2 - 4	SOFT	T _____ THIN WALL TUBE
10 - 30	COMPACT/M. DENSE	4 - 8	FIRM	U _____ UNDISTURBED PISTON
30 - 50	DENSE	8 - 15	STIFF	O _____ OPEN END ROD
50 +	VERY DENSE	15 - 30	VERY STIFF	W _____ WASH SAMPLE





