

Table 3 - Beach Monument Survey Points Related to Beach Sampling Points				
SITE	COUNTY	MONUMENT	LATITUDE	LONGITUDE
NA-01	NASSAU	NASSAU R-9 & R-10	30° 42' 0.04" 30° 41' 55.21"	-81° 25' 42.85" -81° 25' 38.35"
NA-02	NASSAU	NASSAU R-11	30° 41' 45.24"	-81° 25' 41.09"
NA-03	NASSAU	NASSAU R-16	30° 40' 53.94"	-81° 25' 44.58"
NA-04	NASSAU	NASSAU R-22	30° 39' 59.4"	-81° 25' 54.44"
NA-05	NASSAU	NASSAU R-27 & R-28	30° 39' 14.26" 30° 39' 3.46"	-81° 26' 0.53" -81° 26' 2.33"
NA-06	NASSAU	NASSAU R-33	30° 38' 15.76"	-81° 26' 14.5"
NA-07	NASSAU	NASSAU R-38	30° 37' 27.73"	-81° 26' 22.09"
NA-08	NASSAU	NASSAU R-44	30° 36' 32.22"	-81° 26' 33.47"
NA-09	NASSAU	NASSAU R-49	30° 35' 43.3"	-81° 26' 37.21"
NA-10	NASSAU	NASSAU R-55	30° 34' 49.19"	-81° 26' 38.26"
NA-11	NASSAU	NASSAU R-60	30° 33' 57.53"	-81° 26' 37.18"
NA-12	NASSAU	NASSAU R-66	30° 33' 1.26"	-81° 26' 32.57"
NA-13	NASSAU	NASSAU R-71	30° 32' 12.95"	-81° 26' 22.74"
NA-14	NASSAU	NASSAU R-77	30° 31' 18.3"	-81° 26' 11.76"
DU-11	DUVAL	No Correllating Monument		
DU-12	DUVAL	No Correllating Monument		
DU-13	DUVAL	DUVAL R-4	30° 28' 39.79"	-81° 24' 46.87"
DU-14	DUVAL	DUVAL R-9 & R-10	30° 27' 53.71" 30° 27' 43.6"	-81° 24' 43.96" -81° 24' 44.14"
DU-15	DUVAL	DUVAL R-15	30° 26' 54.2"	-81° 24' 40.36"
DU-16	DUVAL	DUVAL R-20 & R-21	30° 26' 8.09" 30° 25' 58.51"	-81° 24' 29.2" -81° 24' 29.34"
DU-17	DUVAL	DUVAL R-26	30° 24' 55.3"	-81° 24' 33.52"
DU-18	DUVAL	DUVAL R-29 & R-30	30° 24' 22.82" 30° 24' 17.28"	-81° 24' 16.02" -81° 24' 15.08"
DU-01	DUVAL	No Correllating Monument		
DU-02	DUVAL	DUVAL R-33	30° 22' 35.15"	-81° 23' 53.56"
DU-03	DUVAL	DUVAL R-38 & R-39	30° 21' 46.01" 30° 21' 37.58"	-81° 23' 54.49" -81° 23' 54.24"
DU-04	DUVAL	DUVAL R-44	30° 20' 51.36"	-81° 23' 50.42"
DU-05	DUVAL	DUVAL R-49 & R-50	30° 20' 3.59" 30° 19' 54.52"	-81° 23' 44.95" -81° 23' 44.02"
DU-06	DUVAL	DUVAL R-55	30° 19' 7.25"	-81° 23' 39.52"
DU-07	DUVAL	DUVAL R-61	30° 18' 11.16"	-81° 23' 29.33"
DU-08	DUVAL	DUVAL R-66 & R-67	30° 17' 24.72" 30° 17' 15.18"	-81° 23' 20.76" -81° 23' 19"
DU-09	DUVAL	DUVAL R-72	30° 16' 26.65"	-81° 23' 11.47"
DU-10	DUVAL	DUVAL R-77 & R-78	30° 15' 39.71" 30° 15' 31.43"	-81° 22' 57.54" -81° 22' 55.92"

SJ-01	ST. JOHNS	ST. JOHNS R-4	30° 14' 41.6"	-81° 22' 43.54"
SJ-02	ST. JOHNS	ST. JOHNS T-5	30° 14' 31.74"	-81° 22' 40.91"
SJ-03	ST. JOHNS	ST. JOHNS R-10	30° 13' 42.06"	-81° 22' 27.7"
SJ-04	ST. JOHNS	ST. JOHNS R-15	30° 12' 50.04"	-81° 22' 12.76"
SJ-05	ST. JOHNS	ST. JOHNS R-20	30° 12' 0.61"	-81° 21' 58.28"
SJ-06	ST. JOHNS	ST. JOHNS R-25	30° 11' 10.86"	-81° 21' 44.93"
SJ-07	ST. JOHNS	ST. JOHNS R-30	30° 10' 21.11"	-81° 21' 32.04"
SJ-08	ST. JOHNS	ST. JOHNS T-35	30° 9' 31.43"	-81° 21' 18.97"
SJ-09	ST. JOHNS	ST. JOHNS T-40	30° 8' 40.6"	-81° 21' 6.19"
SJ-10	ST. JOHNS	ST. JOHNS R-45	30° 7' 49.91"	-81° 20' 54.2"
SJ-11	ST. JOHNS	ST. JOHNS R-50	30° 6' 59.94"	-81° 20' 41.93"
SJ-12	ST. JOHNS	ST. JOHNS R-55	30° 6' 9.5"	-81° 20' 30.23"
SJ-13	ST. JOHNS	ST. JOHNS R-60	30° 5' 18.38"	-81° 20' 17.63"
SJ-14	ST. JOHNS	ST. JOHNS R-65	30° 4' 26.9"	-81° 20' 5.53"
SJ-15	ST. JOHNS	ST. JOHNS T-70	30° 3' 35.06"	-81° 19' 54.23"
SJ-16	ST. JOHNS	ST. JOHNS R-75	30° 2' 45.42"	-81° 19' 43.61"
SJ-17	ST. JOHNS	ST. JOHNS R-80	30° 1' 53.98"	-81° 19' 31.19"
SJ-18	ST. JOHNS	ST. JOHNS R-85	30° 1' 2.42"	-81° 19' 18.08"
SJ-19	ST. JOHNS	ST. JOHNS R-90	30° 0' 13.14"	-81° 19' 5.23"
SJ-20	ST. JOHNS	ST. JOHNS R-95	29° 59' 23.53"	-81° 18' 53.46"
SJ-21	ST. JOHNS	ST. JOHNS R-100	29° 58' 33.64"	-81° 18' 40.03"
SJ-22	ST. JOHNS	ST. JOHNS R-105	29° 57' 45.32"	-81° 18' 27.04"
SJ-23	ST. JOHNS	ST. JOHNS T-110	29° 56' 54.71"	-81° 18' 11.41"
SJ-24	ST. JOHNS	ST. JOHNS R-115	29° 56' 5.35"	-81° 17' 54.28"
SJ-25	ST. JOHNS	ST. JOHNS R-120	29° 55' 14.48"	-81° 17' 31.96"
SJ-26	ST. JOHNS	ST. JOHNS T-125	29° 54' 8.89"	-81° 16' 58.55"
SJ-27	ST. JOHNS	ST. JOHNS T-130	29° 53' 20.08"	-81° 16' 31.44"
SJ-28	ST. JOHNS	ST. JOHNS R-135A	29° 52' 31.37"	-81° 16' 19.6"
SJ-29	ST. JOHNS	ST. JOHNS T-140	29° 51' 44.53"	-81° 16' 2.53"
SJ-30	ST. JOHNS	ST. JOHNS R-145	29° 50' 55.03"	-81° 15' 57.64"
SJ-31	ST. JOHNS	ST. JOHNS R-150	29° 50' 5.89"	-81° 15' 52.31"
SJ-32	ST. JOHNS	ST. JOHNS R-155	29° 49' 16.61"	-81° 15' 49.03"
SJ-33	ST. JOHNS	ST. JOHNS R-160	29° 48' 26.03"	-81° 15' 43.88"
SJ-34	ST. JOHNS	ST. JOHNS R-165	29° 47' 36.96"	-81° 15' 34.24"
SJ-35	ST. JOHNS	ST. JOHNS R-170	29° 46' 49.33"	-81° 15' 21.67"
SJ-36	ST. JOHNS	ST. JOHNS R-175	29° 45' 59.76"	-81° 15' 5.8"
SJ-37	ST. JOHNS	ST. JOHNS R-180	29° 45' 12.85"	-81° 14' 48.59"
SJ-38	ST. JOHNS	ST. JOHNS T-185	29° 44' 26.52"	-81° 14' 30.37"
SJ-39	ST. JOHNS	ST. JOHNS R-190	29° 43' 38.71"	-81° 14' 10.36"
SJ-40	ST. JOHNS	ST. JOHNS R-195	29° 42' 52.78"	-81° 13' 45.84"
SJ-41	ST. JOHNS	ST. JOHNS R-197	29° 42' 14.58"	-81° 13' 39.18"
SJ-42	ST. JOHNS	ST. JOHNS R-200	29° 41' 46.14"	-81° 13' 22.19"
SJ-43	ST. JOHNS	ST. JOHNS R-205	29° 40' 57.79"	-81° 13' 5.7"

A Sedimentological and Granulometric Atlas of the Beach Sediments of Florida's East Coast, FGS - FDEP (2009)

Table 3 cont.				
SJ-44	ST. JOHNS	ST. JOHNS R-209	29° 40' 19.24"	-81° 12' 50.51"
FG-01	FLAGLER	FLAGLER R-5	29° 39' 38.05"	-81° 12' 32.18"
FG-02	FLAGLER	FLAGLER R-10	29° 38' 51.72"	-81° 12' 13.36"
FG-03	FLAGLER	FLAGLER R-15	29° 38' 6.86"	-81° 11' 55.03"
FG-04	FLAGLER	FLAGLER T-20	29° 37' 22.62"	-81° 11' 36.67"
FG-05	FLAGLER	FLAGLER R-25	29° 36' 33.08"	-81° 11' 18.13"
FG-06	FLAGLER	FLAGLER R-30	29° 35' 49.16"	-81° 10' 59.74"
FG-07	FLAGLER	FLAGLER R-35	29° 35' 4.2"	-81° 10' 40.3"
FG-08	FLAGLER	FLAGLER R-40	29° 34' 21.07"	-81° 10' 18.44"
FG-09	FLAGLER	FLAGLER R-45	29° 33' 35.82"	-81° 10' 1.56"
FG-10	FLAGLER	FLAGLER R-50	29° 32' 50.28"	-81° 9' 39.1"
FG-11	FLAGLER	FLAGLER R-55	29° 32' 13.13"	-81° 9' 20.7"
FG-12	FLAGLER	FLAGLER R-60	29° 31' 32.05"	-81° 8' 58.96"
FG-13	FLAGLER	FLAGLER R-65	29° 30' 48.89"	-81° 8' 36.02"
FG-14	FLAGLER	FLAGLER R-70	29° 30' 4.61"	-81° 8' 14.75"
FG-15	FLAGLER	FLAGLER R-75	29° 29' 21.55"	-81° 7' 53.08"
FG-16	FLAGLER	FLAGLER R-80	29° 28' 37.6"	-81° 7' 32.23"
FG-17	FLAGLER	FLAGLER R-85	29° 27' 55.26"	-81° 7' 12"
FG-18	FLAGLER	FLAGLER R-90	29° 27' 13.57"	-81° 6' 52.13"
FG-19	FLAGLER	FLAGLER R-95	29° 26' 29.54"	-81° 6' 34.2"
FG-20	FLAGLER	FLAGLER R-100	29° 25' 46.74"	-81° 6' 12.96"
VO-1	VOLUSIA	VOLUSIA R005	29° 25' 1.92"	-81° 5' 52.44"
VO-2	VOLUSIA	VOLUSIA R010	29° 24' 17.6"	-81° 5' 32.5"
VO-3	VOLUSIA	VOLUSIA R015	29° 23' 33.18"	-81° 5' 12.23"
VO-4	VOLUSIA	VOLUSIA R020	29° 22' 49.3"	-81° 4' 52.1"
VO-5	VOLUSIA	VOLUSIA R025	29° 22' 6.06"	-81° 4' 32.02"
VO-6	VOLUSIA	VOLUSIA R030	29° 21' 23.4"	-81° 4' 11.32"
VO-7	VOLUSIA	VOLUSIA R035	29° 20' 40.06"	-81° 3' 50.58"
VO-8	VOLUSIA	VOLUSIA R040	29° 19' 57.14"	-81° 3' 29.81"
VO-9	VOLUSIA	VOLUSIA R045	29° 19' 16.25"	-81° 3' 11.34"
VO-10	VOLUSIA	VOLUSIA R050	29° 18' 30.02"	-81° 2' 49.52"
VO-11	VOLUSIA	VOLUSIA R055	29° 17' 45.85"	-81° 2' 27.96"
VO-12	VOLUSIA	VOLUSIA R060	29° 17' 4.02"	-81° 2' 7.44"
VO-13	VOLUSIA	VOLUSIA T065	29° 16' 20.42"	-81° 1' 45.91"
VO-14	VOLUSIA	VOLUSIA R070	29° 15' 37.8"	-81° 1' 24.49"
VO-15	VOLUSIA	VOLUSIA R075	29° 14' 55.54"	-81° 1' 3.97"
VO-16	VOLUSIA	VOLUSIA R080	29° 14' 9.53"	-81° 0' 41.08"
VO-17	VOLUSIA	VOLUSIA R085	29° 13' 26.54"	-81° 0' 19.58"
VO-18	VOLUSIA	VOLUSIA R090	29° 12' 44.32"	-80° 59' 59.96"
VO-19	VOLUSIA	VOLUSIA T095	29° 12' 2.16"	-80° 59' 39.05"
VO-20	VOLUSIA	VOLUSIA R100	29° 11' 19.57"	-80° 59' 16.98"
VO-21	VOLUSIA	VOLUSIA R105	29° 10' 35.04"	-80° 58' 54.77"

A Sedimentological and Granulometric Atlas of the Beach Sediments of Florida's East Coast, FGS - FDEP (2009)

Table 3 cont.				
VO-22	VOLUSIA	VOLUSIA R110	29° 9' 51.12"	-80° 58' 30.4"
VO-23	VOLUSIA	VOLUSIA T115	29° 9' 5.51"	-80° 58' 6.38"
VO-24	VOLUSIA	VOLUSIA R120	29° 8' 26.38"	-80° 57' 44.46"
VO-25	VOLUSIA	VOLUSIA R125	29° 7' 44.72"	-80° 57' 21.02"
VO-26	VOLUSIA	VOLUSIA R130	29° 7' 3.25"	-80° 56' 56"
VO-27	VOLUSIA	VOLUSIA R135	29° 6' 21.49"	-80° 56' 30.12"
VO-28	VOLUSIA	VOLUSIA T140	29° 5' 42.68"	-80° 56' 4.24"
VO-29	VOLUSIA	VOLUSIA R145	29° 5' 5.42"	-80° 55' 32.41"
VO-30	VOLUSIA	VOLUSIA R148	29° 4' 43.46"	-80° 55' 13.69"
VO-31	VOLUSIA	VOLUSIA R150	29° 4' 16.32"	-80° 54' 46.04"
VO-32	VOLUSIA	VOLUSIA R155	29° 3' 35.42"	-80° 54' 24.73"
VO-33	VOLUSIA	VOLUSIA R160	29° 2' 51.58"	-80° 54' 3.28"
VO-34	VOLUSIA	VOLUSIA R165	29° 2' 9.06"	-80° 53' 38.33"
VO-35	VOLUSIA	VOLUSIA R170	29° 1' 25.9"	-80° 53' 14.1"
VO-36	VOLUSIA	VOLUSIA R175	29° 0' 44.96"	-80° 52' 48.54"
VO-37	VOLUSIA	VOLUSIA R180	29° 0' 3.64"	-80° 52' 22.58"
VO-38	VOLUSIA	VOLUSIA R185	28° 59' 22.63"	-80° 51' 57.67"
VO-39	VOLUSIA	VOLUSIA T190	28° 58' 41.45"	-80° 51' 32.44"
VO-40	VOLUSIA	VOLUSIA R195	28° 58' 3.86"	-80° 51' 4.72"
VO-41	VOLUSIA	VOLUSIA R200	28° 57' 23.58"	-80° 50' 35.74"
VO-42	VOLUSIA	VOLUSIA T205	28° 56' 44.05"	-80° 50' 8.27"
VO-43	VOLUSIA	VOLUSIA R210	28° 56' 2.76"	-80° 49' 40.84"
VO-44	VOLUSIA	VOLUSIA R215	28° 55' 22.3"	-80° 49' 12"
VO-45	VOLUSIA	VOLUSIA R220	28° 54' 41.18"	-80° 48' 44.24"
VO-46	VOLUSIA	VOLUSIA R225	28° 54' 3.42"	-80° 48' 18.58"
VO-47	VOLUSIA	VOLUSIA R230	28° 53' 21.62"	-80° 47' 50.35"
VO-48	VOLUSIA	VOLUSIA R234	28° 52' 49.84"	-80° 47' 27.85"
BV-01	BREVARD	BREVARD V-5	28° 46' 54.33"	-80° 43' 39.65"
BV-02	BREVARD	BREVARD V-10	28° 46' 11.84"	-80° 43' 10.83"
BV-03	BREVARD	BREVARD V-15	28° 45' 29.35"	-80° 42' 42.01"
BV-04	BREVARD	BREVARD V-20	28° 44' 48.35"	-80° 42' 10.56"
BV-05	BREVARD	BREVARD V-25	28° 44' 7.73"	-80° 41' 38.46"
BV-06	BREVARD	BREVARD V-30	28° 43' 27.1"	-80° 41' 6.36"
BV-07	BREVARD	BREVARD V-35	28° 42' 46.47"	-80° 40' 34.28"
BV-08	BREVARD	BREVARD V-40	28° 42' 5.84"	-80° 40' 2.2"
BV-09	BREVARD	BREVARD V-45	28° 41' 25.21"	-80° 39' 30.12"
BV-10	BREVARD	BREVARD V-50	28° 40' 44.57"	-80° 38' 58.06"
BV-11	BREVARD	BREVARD V-55	28° 40' 3.08"	-80° 38' 27.47"
BV-12	BREVARD	BREVARD V-60	28° 39' 21.02"	-80° 37' 57.87"
BV-13	BREVARD	BREVARD V-65	28° 38' 38.96"	-80° 37' 28.28"
BV-14	BREVARD	BREVARD V-70	28° 37' 57.48"	-80° 36' 57.73"
BV-15	BREVARD	BREVARD V-75	28° 37' 18.37"	-80° 36' 23.33"

A Sedimentological and Granulometric Atlas of the Beach Sediments of Florida's East Coast, FGS - FDEP (2009)

Table 3 cont.				
BV-16	BREVARD	BREVARD V-80	28° 36' 39.26"	-80° 35' 48.94"
BV-17	BREVARD	BREVARD V-85	28° 36' 0.15"	-80° 35' 14.56"
BV-18	BREVARD	BREVARD V-90	28° 35' 21.03"	-80° 34' 40.18"
BV-19	BREVARD	BREVARD V-95	28° 34' 33.39"	-80° 34' 24.91"
BV-20	BREVARD	BREVARD V-100	28° 33' 45.76"	-80° 34' 9.65"
BV-21	BREVARD	BREVARD V-105	28° 32' 56.97"	-80° 34' 0.11"
BV-22	BREVARD	BREVARD V-110	28° 32' 8.19"	-80° 33' 50.58"
BV-23	BREVARD	BREVARD V-115	28° 31' 21.32"	-80° 33' 32.52"
BV-24	BREVARD	BREVARD V-120	28° 30' 35.39"	-80° 33' 11.74"
BV-25	BREVARD	BREVARD V-125	28° 29' 50.09"	-80° 32' 49.13"
BV-26	BREVARD	BREVARD V-130	28° 29' 4.79"	-80° 32' 26.54"
BV-27	BREVARD	BREVARD V-135	28° 28' 19.49"	-80° 32' 3.94"
BV-28	BREVARD	BREVARD V-140	28° 27' 34.18"	-80° 31' 41.36"
BV-29	BREVARD	BREVARD V-143	28° 27' 16.82"	-80° 31' 57.19"
BV-30	BREVARD	BREVARD V-147	28° 27' 0.22"	-80° 32' 37.87"
BV-31	BREVARD	BREVARD V-152	28° 26' 39.47"	-80° 33' 28.72"
BV-32	BREVARD	BREVARD V-157	28° 26' 11.37"	-80° 34' 14.12"
BV-33	BREVARD	BREVARD V-162	28° 25' 32.5"	-80° 34' 47.72"
BV-34	BREVARD	BREVARD V-167	28° 24' 49.71"	-80° 35' 15.89"
BV-35	BREVARD	BREVARD R-1-T	28° 24' 26.9"	-80° 35' 30.97"
BV-36	BREVARD	BREVARD R-5	28° 23' 50"	-80° 35' 42.37"
BV-37	BREVARD	BREVARD T-10	28° 23' 4.73"	-80° 35' 55"
BV-38	BREVARD	BREVARD R-15-T	28° 22' 17.56"	-80° 36' 7.09"
BV-39	BREVARD	BREVARD R-20	28° 21' 31.16"	-80° 36' 19.35"
BV-40	BREVARD	BREVARD R-25	28° 20' 43.99"	-80° 36' 22.16"
BV-41	BREVARD	BREVARD R-30	28° 19' 55.29"	-80° 36' 27.05"
BV-42	BREVARD	BREVARD R-35-T	28° 19' 9.02"	-80° 36' 31.67"
BV-43	BREVARD	BREVARD R-40	28° 18' 21.44"	-80° 36' 30.92"
BV-44	BREVARD	BREVARD R-45	28° 17' 33"	-80° 36' 27.44"
BV-45	BREVARD	BREVARD R-50-T	28° 16' 42.78"	-80° 36' 23.54"
BV-46	BREVARD	BREVARD R-55-T	28° 15' 58.99"	-80° 36' 19.58"
BV-47	BREVARD	BREVARD R-60-T	28° 15' 11.5"	-80° 36' 12.56"
BV-48	BREVARD	BREVARD R-65-T	28° 14' 23.11"	-80° 36' 4.99"
BV-49	BREVARD	BREVARD R-70	28° 13' 36.38"	-80° 35' 58.08"
BV-50	BREVARD	BREVARD R-75	28° 12' 49.28"	-80° 35' 52.3"
BV-51	BREVARD	BREVARD R-80	28° 12' 1.58"	-80° 35' 43.04"
BV-52	BREVARD	BREVARD R-85	28° 11' 17.17"	-80° 35' 35.67"
BV-53	BREVARD	BREVARD R-90-T	28° 10' 33.52"	-80° 35' 25.05"
BV-54	BREVARD	BREVARD R-95-T	28° 9' 49.49"	-80° 35' 13.71"
BV-55	BREVARD	BREVARD R-100	28° 9' 3.2"	-80° 34' 59.82"
BV-56	BREVARD	BREVARD R-105	28° 8' 19.62"	-80° 34' 48.72"
BV-57	BREVARD	BREVARD R-110-T	28° 7' 28.14"	-80° 34' 37.61"
BV-58	BREVARD	BREVARD R-115	28° 6' 42.75"	-80° 34' 21.35"

A Sedimentological and Granulometric Atlas of the Beach Sediments of Florida's East Coast, FGS - FDEP (2009)

Table 3 cont.				
BV-59	BREVARD	BREVARD R-120-T	28° 5' 59.17"	-80° 34' 9.55"
BV-60	BREVARD	BREVARD R-125-T	28° 5' 13.71"	-80° 33' 52.09"
BV-61	BREVARD	BREVARD R-130	28° 4' 28.73"	-80° 33' 36.7"
BV-62	BREVARD	BREVARD R-135	28° 3' 44.91"	-80° 33' 16.47"
BV-63	BREVARD	BREVARD R-140	28° 3' 0.88"	-80° 32' 56.6"
BV-64	BREVARD	BREVARD R-145	28° 2' 18.62"	-80° 32' 37.25"
BV-65	BREVARD	BREVARD R-150	28° 1' 34.47"	-80° 32' 14.44"
BV-66	BREVARD	BREVARD R-155	28° 0' 47.3"	-80° 31' 53.85"
BV-67	BREVARD	BREVARD R-160	28° 0' 6.19"	-80° 31' 33.96"
BV-68	BREVARD	BREVARD R-165	27° 59' 26.49"	-80° 31' 10.15"
BV-69	BREVARD	BREVARD R-170-T	27° 58' 39.53"	-80° 30' 48.42"
BV-70	BREVARD	BREVARD R-175-T	27° 57' 56.7"	-80° 30' 27.93"
BV-71	BREVARD	BREVARD R-180	27° 57' 12.62"	-80° 30' 3.26"
BV-72	BREVARD	BREVARD R-185	27° 56' 28.85"	-80° 29' 38.29"
BV-73	BREVARD	BREVARD R-190	27° 55' 48.81"	-80° 29' 12.8"
BV-74	BREVARD	BREVARD R-195	27° 55' 4.08"	-80° 28' 48.64"
BV-75	BREVARD	BREVARD R-200	27° 54' 19.31"	-80° 28' 24.03"
BV-76	BREVARD	BREVARD R-205-OS	27° 53' 38.99"	-80° 27' 56.21"
BV-77	BREVARD	BREVARD R-210-OS	27° 52' 54.35"	-80° 27' 30.95"
BV-78	BREVARD	BREVARD R-215-OS	27° 52' 16.96"	-80° 27' 9.74"
IR-01	INDIAN RIVER	INDIAN RIVER R-1	27° 51' 29.91"	-80° 26' 49.99"
IR-02	INDIAN RIVER	INDIAN RIVER R-6	27° 50' 45.89"	-80° 26' 25.38"
IR-03	INDIAN RIVER	INDIAN RIVER T-11	27° 50' 0.08"	-80° 26' 0.98"
IR-04	INDIAN RIVER	INDIAN RIVER R-16	27° 49' 17.71"	-80° 25' 38.81"
IR-05	INDIAN RIVER	INDIAN RIVER R-21	27° 48' 32.56"	-80° 25' 16.49"
IR-06	INDIAN RIVER	INDIAN RIVER R-26	27° 47' 46.57"	-80° 24' 52.38"
IR-07	INDIAN RIVER	INDIAN RIVER T-31	27° 47' 5.29"	-80° 24' 27.7"
IR-08	INDIAN RIVER	INDIAN RIVER T-36	27° 46' 21.56"	-80° 24' 6.16"
IR-09	INDIAN RIVER	INDIAN RIVER R-41	27° 45' 36.6"	-80° 23' 42.63"
IR-10	INDIAN RIVER	INDIAN RIVER T-46	27° 44' 52.67"	-80° 23' 17.46"
IR-11	INDIAN RIVER	INDIAN RIVER R-51	27° 44' 7.07"	-80° 22' 55.69"
IR-12	INDIAN RIVER	INDIAN RIVER R-56	27° 43' 19.42"	-80° 22' 41.01"
IR-13	INDIAN RIVER	INDIAN RIVER R-61	27° 42' 31.74"	-80° 22' 25.05"
IR-14	INDIAN RIVER	INDIAN RIVER R-66	27° 41' 43.74"	-80° 22' 9.38"
IR-15	INDIAN RIVER	INDIAN RIVER R-71	27° 40' 55"	-80° 21' 51.93"
IR-16	INDIAN RIVER	INDIAN RIVER R-76	27° 40' 6.79"	-80° 21' 36.63"
IR-17	INDIAN RIVER	INDIAN RIVER R-81	27° 39' 17.85"	-80° 21' 25.69"
IR-18	INDIAN RIVER	INDIAN RIVER R-86	27° 38' 30.81"	-80° 21' 8.23"
IR-19	INDIAN RIVER	INDIAN RIVER R-91	27° 37' 46.33"	-80° 21' 2.71"
IR-20	INDIAN RIVER	INDIAN RIVER T-96	27° 36' 59.92"	-80° 20' 42.91"
IR-21	INDIAN RIVER	INDIAN RIVER R-101	27° 36' 19.72"	-80° 20' 9.83"
IR-22	INDIAN RIVER	INDIAN RIVER R-106	27° 35' 32.08"	-80° 19' 50.78"

Table 3 cont.				
IR-23	INDIAN RIVER	INDIAN RIVER R-111	27° 34' 48.78"	-80° 19' 39.28"
IR-24	INDIAN RIVER	INDIAN RIVER R-116	27° 33' 59.32"	-80° 19' 29.52"
SL-01	ST. LUCIE	ST. LUCIE R-2	27° 33' 12.8"	-80° 19' 14.25"
SL-02	ST. LUCIE	ST. LUCIE R-7	27° 32' 25.08"	-80° 18' 59.97"
SL-03	ST. LUCIE	ST. LUCIE R-12	27° 31' 38.02"	-80° 18' 46.02"
SL-04	ST. LUCIE	ST. LUCIE R-17	27° 30' 52.42"	-80° 18' 25.58"
SL-05	ST. LUCIE	ST. LUCIE R-22	27° 30' 6.73"	-80° 18' 7.27"
SL-06	ST. LUCIE	ST. LUCIE R-27	27° 29' 19.52"	-80° 17' 52.19"
SL-07	ST. LUCIE	ST. LUCIE R-32	27° 28' 32.71"	-80° 17' 33.48"
SL-08	ST. LUCIE	ST. LUCIE R-37	27° 27' 43.48"	-80° 17' 21.12"
SL-09	ST. LUCIE	ST. LUCIE R-42	27° 26' 58.11"	-80° 17' 1.71"
SL-10	ST. LUCIE	ST. LUCIE R-47	27° 26' 11.08"	-80° 16' 44.01"
SL-11	ST. LUCIE	ST. LUCIE R-52	27° 25' 24.56"	-80° 16' 26.45"
SL-12	ST. LUCIE	ST. LUCIE R-57	27° 24' 38.88"	-80° 16' 7.57"
SL-13	ST. LUCIE	ST. LUCIE R-62	27° 23' 51.47"	-80° 15' 48.93"
SL-14	ST. LUCIE	ST. LUCIE R-67	27° 23' 7.77"	-80° 15' 26.32"
SL-15	ST. LUCIE	ST. LUCIE R-72	27° 22' 23.98"	-80° 15' 2.32"
SL-16	ST. LUCIE	ST. LUCIE R-77	27° 21' 39.6"	-80° 14' 38.52"
SL-17	ST. LUCIE	ST. LUCIE R-82	27° 20' 55.71"	-80° 14' 15.95"
SL-18	ST. LUCIE	ST. LUCIE R-87	27° 20' 9.51"	-80° 13' 58.37"
SL-19	ST. LUCIE	ST. LUCIE R-92	27° 19' 23.92"	-80° 13' 38.53"
SL-20	ST. LUCIE	ST. LUCIE R-97A	27° 18' 38.42"	-80° 13' 18.96"
SL-21	ST. LUCIE	ST. LUCIE R-102	27° 17' 53.32"	-80° 12' 58.1"
SL-22	ST. LUCIE	ST. LUCIE R-107	27° 17' 7.63"	-80° 12' 38.28"
SL-23	ST. LUCIE	ST. LUCIE R-112	27° 16' 21.11"	-80° 12' 16.48"
MT-01	MARTIN	MARTIN R-2	27° 15' 38.41"	-80° 11' 56.31"
MT-02	MARTIN	MARTIN R-7	27° 14' 57.59"	-80° 11' 36.42"
MT-03	MARTIN	MARTIN R-12U	27° 14' 17.49"	-80° 11' 14.65"
MT-04	MARTIN	MARTIN R-17	27° 13' 37.52"	-80° 10' 53.03"
MT-05	MARTIN	MARTIN R-22	27° 12' 57.31"	-80° 10' 31.18"
MT-06	MARTIN	MARTIN R-27	27° 12' 18.16"	-80° 10' 7.37"
MT-07	MARTIN	MARTIN R-32	27° 11' 38.01"	-80° 9' 45.87"
MT-08	MARTIN	MARTIN R-37	27° 10' 55.48"	-80° 9' 33.39"
MT-09	MARTIN	MARTIN R-42	27° 10' 13.56"	-80° 9' 15.91"
MT-10	MARTIN	MARTIN R-47	27° 9' 23.01"	-80° 9' 21.81"
MT-11	MARTIN	MARTIN R-52	27° 8' 41.65"	-80° 9' 3.41"
MT-12	MARTIN	MARTIN R-57	27° 7' 59.56"	-80° 8' 47.08"
MT-13	MARTIN	MARTIN R-62	27° 7' 16.37"	-80° 8' 35.54"
MT-14	MARTIN	MARTIN R-67	27° 6' 34.97"	-80° 8' 18.34"
MT-15	MARTIN	MARTIN R-72	27° 5' 55.23"	-80° 7' 56.79"
MT-16	MARTIN	MARTIN R-77	27° 5' 15.82"	-80° 7' 34.03"
MT-17	MARTIN	MARTIN R-82	27° 4' 35.71"	-80° 7' 11.94"

A Sedimentological and Granulometric Atlas of the Beach Sediments of Florida's East Coast, FGS - FDEP (2009)

Table 3 cont.				
MT-18	MARTIN	MARTIN R-87	27° 3' 54.29"	-80° 6' 53.47"
MT-19	MARTIN	MARTIN R-92	27° 3' 13.97"	-80° 6' 32.26"
MT-20	MARTIN	MARTIN R-97	27° 2' 30.75"	-80° 6' 14.04"
MT-21	MARTIN	MARTIN R-102	27° 1' 50.01"	-80° 5' 56"
MT-22	MARTIN	MARTIN R-107	27° 1' 8.42"	-80° 5' 41.47"
MT-23	MARTIN	MARTIN R-112	27° 0' 25.87"	-80° 5' 27.71"
MT-24	MARTIN	MARTIN R-117	26° 59' 42.21"	-80° 5' 19.68"
MT-25	MARTIN	MARTIN R-122	26° 58' 59.94"	-80° 5' 5.8"
MT-26	MARTIN	MARTIN R-127	26° 58' 17.78"	-80° 4' 51.38"
PB-01	PALM BEACH	PALM BEACH R-5	26° 57' 43.64"	-80° 4' 40.06"
PB-02	PALM BEACH	PALM BEACH R-10	26° 56' 57.34"	-80° 4' 24.85"
PB-03	PALM BEACH	PALM BEACH R-15	26° 56' 17.32"	-80° 4' 13.49"
PB-04	PALM BEACH	PALM BEACH R-20	26° 55' 27.6"	-80° 4' 2.27"
PB-05	PALM BEACH	PALM BEACH T-25	26° 54' 35.29"	-80° 3' 45.15"
PB-06	PALM BEACH	PALM BEACH R-30	26° 53' 46.43"	-80° 3' 28.81"
PB-07	PALM BEACH	PALM BEACH R-35	26° 52' 56.36"	-80° 3' 13.49"
PB-08	PALM BEACH	PALM BEACH R-40	26° 52' 6.38"	-80° 2' 56.4"
PB-09	PALM BEACH	PALM BEACH R-45	26° 51' 23.99"	-80° 2' 45.43"
PB-10	PALM BEACH	PALM BEACH R-50	26° 50' 26.83"	-80° 2' 34.04"
PB-11	PALM BEACH	PALM BEACH R-55	26° 49' 43.37"	-80° 2' 22.84"
PB-12	PALM BEACH	PALM BEACH R-60	26° 48' 59.52"	-80° 2' 11.66"
PB-13	PALM BEACH	PALM BEACH R-65	26° 48' 3.81"	-80° 1' 57.31"
PB-14	PALM BEACH	PALM BEACH R-70	26° 47' 14.04"	-80° 1' 58.67"
PB-15	PALM BEACH	PALM BEACH R-75	26° 46' 24.74"	-80° 1' 55.28"
PB-16	PALM BEACH	PALM BEACH R-80	26° 45' 32.64"	-80° 2' 12.54"
PB-17	PALM BEACH	PALM BEACH R-85	26° 44' 33.96"	-80° 2' 6.88"
PB-18	PALM BEACH	PALM BEACH R-90	26° 43' 42.74"	-80° 2' 6.23"
PB-19	PALM BEACH	PALM BEACH R-95	26° 42' 42.2"	-80° 2' 1.1"
PB-20	PALM BEACH	PALM BEACH R-100	26° 41' 48.65"	-80° 2' 0.44"
PB-21	PALM BEACH	PALM BEACH R-105	26° 40' 50.93"	-80° 2' 7.18"
PB-22	PALM BEACH	PALM BEACH R-110	26° 39' 55.34"	-80° 2' 11.57"
PB-23	PALM BEACH	PALM BEACH R-115	26° 39' 3.03"	-80° 2' 14.09"
PB-24	PALM BEACH	PALM BEACH R-120	26° 38' 13.25"	-80° 2' 15.17"
PB-25	PALM BEACH	PALM BEACH T-125	26° 37' 23.02"	-80° 2' 13.46"
PB-26	PALM BEACH	PALM BEACH R-130	26° 36' 26.69"	-80° 2' 13.01"
PB-27	PALM BEACH	PALM BEACH R-135	26° 35' 25.42"	-80° 2' 15.09"
PB-28	PALM BEACH	PALM BEACH R-140	26° 34' 36.59"	-80° 2' 17.7"
PB-29	PALM BEACH	PALM BEACH R-145	26° 33' 45.68"	-80° 2' 26.03"
PB-30	PALM BEACH	PALM BEACH R-150	26° 32' 58.22"	-80° 2' 32.87"
PB-31	PALM BEACH	PALM BEACH R-155	26° 32' 6.41"	-80° 2' 46.1"
PB-32	PALM BEACH	PALM BEACH R-160	26° 31' 18.13"	-80° 2' 53.93"
PB-33	PALM BEACH	PALM BEACH R-165	26° 30' 27.19"	-80° 3' 3.66"

A Sedimentological and Granulometric Atlas of the Beach Sediments of Florida's East Coast, FGS - FDEP (2009)

PB-34	PALM BEACH	PALM BEACH R-170	26° 29' 31.63"	-80° 3' 11.16"
PB-35	PALM BEACH	PALM BEACH R-175	26° 28' 36.18"	-80° 3' 20.84"
PB-36	PALM BEACH	PALM BEACH R-180	26° 27' 42.1"	-80° 3' 29.75"
PB-37	PALM BEACH	PALM BEACH R-185	26° 26' 48.07"	-80° 3' 37.06"
PB-38	PALM BEACH	PALM BEACH R-190	26° 25' 57.69"	-80° 3' 43.72"
PB-39	PALM BEACH	PALM BEACH R-195	26° 25' 8.16"	-80° 3' 49.38"
PB-40	PALM BEACH	PALM BEACH R-200	26° 24' 16.3"	-80° 3' 52.9"
PB-41	PALM BEACH	PALM BEACH T-205	26° 23' 21.94"	-80° 4' 1.02"
PB-42	PALM BEACH	PALM BEACH R-210	26° 22' 27.17"	-80° 4' 4.28"
PB-43	PALM BEACH	PALM BEACH T-215	26° 21' 36.13"	-80° 4' 8.98"
PB-44	PALM BEACH	PALM BEACH R-220	26° 20' 37.92"	-80° 4' 15.44"
PB-45	PALM BEACH	PALM BEACH T-225	26° 19' 43.28"	-80° 4' 25.13"
BW-01	BROWARD	BROWARD R-3	26° 18' 55.85"	-80° 4' 32.28"
BW-02	BROWARD	BROWARD R-8	26° 18' 7.49"	-80° 4' 36.73"
BW-03	BROWARD	BROWARD R-13	26° 17' 17.67"	-80° 4' 42.05"
BW-04	BROWARD	BROWARD R-18	26° 16' 28.41"	-80° 4' 46.2"
BW-05	BROWARD	BROWARD R-23	26° 15' 38.52"	-80° 4' 49.75"
BW-06	BROWARD	BROWARD R-28	26° 15' 1.59"	-80° 5' 6.97"
BW-07	BROWARD	BROWARD R-33	26° 14' 15.03"	-80° 5' 19.38"
BW-08	BROWARD	BROWARD R-38	26° 13' 25.35"	-80° 5' 23.59"
BW-09	BROWARD	BROWARD R-43	26° 12' 37.2"	-80° 5' 31.93"
BW-10	BROWARD	BROWARD R-48	26° 11' 49.8"	-80° 5' 40.39"
BW-11	BROWARD	BROWARD R-53	26° 10' 59.87"	-80° 5' 45.34"
BW-12	BROWARD	BROWARD R-58	26° 10' 9.13"	-80° 5' 52.72"
BW-13	BROWARD	BROWARD T-63	26° 9' 22.93"	-80° 6' 0.18"
BW-14	BROWARD	BROWARD R-68	26° 8' 31.77"	-80° 6' 9.61"
BW-15	BROWARD	BROWARD R-73	26° 7' 41.42"	-80° 6' 12.54"
BW-16	BROWARD	BROWARD R-78	26° 6' 50.37"	-80° 6' 17.18"
BW-17	BROWARD	BROWARD R-83	26° 5' 57.84"	-80° 6' 21.81"
BW-18	BROWARD	BROWARD T-88	26° 5' 12.83"	-80° 6' 37.45"
BW-19	BROWARD	BROWARD R-93	26° 4' 22.21"	-80° 6' 39.15"
BW-20	BROWARD	BROWARD R-98	26° 3' 33.39"	-80° 6' 43.03"
BW-21	BROWARD	BROWARD R-103	26° 2' 43.02"	-80° 6' 48.09"
BW-22	BROWARD	BROWARD R-108	26° 1' 53.54"	-80° 6' 52"
BW-23	BROWARD	BROWARD R-113	26° 1' 3.46"	-80° 6' 55.1"
BW-24	BROWARD	BROWARD R-118	26° 0' 13.01"	-80° 6' 59.21"
BW-25	BROWARD	BROWARD R-123	25° 59' 21.36"	-80° 7' 2.18"
BW-26	BROWARD	BROWARD R-128	25° 58' 30.62"	-80° 7' 6.75"
DD-01	DADE	DADE T-5	25° 57' 48.19"	-80° 7' 8.53"
DD-02	DADE	DADE R-10	25° 56' 54.54"	-80° 7' 10.42"
DD-03	DADE	DADE R-15	25° 56' 3.28"	-80° 7' 14.32"
DD-04	DADE	DADE R-20	25° 55' 8.92"	-80° 7' 19.19"

Table 3 cont.				
DD-05	DADE	DADE R-25	25° 54' 19.91"	-80° 7' 20.71"
DD-06	DADE	DADE R-30	25° 53' 28.51"	-80° 7' 18.3"
DD-07	DADE	DADE R-35	25° 52' 35.2"	-80° 7' 15.68"
DD-08	DADE	DADE R-40	25° 51' 40.43"	-80° 7' 12.46"
DD-09	DADE	DADE R-45	25° 50' 49.58"	-80° 7' 10.65"
DD-10	DADE	DADE R-50	25° 50' 0.39"	-80° 7' 10.42"
DD-11	DADE	DADE R-55	25° 49' 5.34"	-80° 7' 15.34"
DD-12	DADE	DADE R-60	25° 48' 16.49"	-80° 7' 26.81"
DD-13	DADE	DADE R-65	25° 47' 32.36"	-80° 7' 42.62"
DD-14	DADE	DADE R-70	25° 46' 39.43"	-80° 7' 51.34"
DD-15	DADE	DADE R-75	25° 45' 44.05"	-80° 8' 3.1"
DD-16	DADE	DADE R-80	25° 44' 48.44"	-80° 8' 34.51"
DD-17	DADE	DADE R-85	25° 44' 14.79"	-80° 9' 8.67"
DD-18	DADE	DADE R-90	25° 43' 43.72"	-80° 9' 10.66"
DD-19	DADE	DADE R-95	25° 43' 2.28"	-80° 8' 57.65"
DD-20	DADE	DADE T-100	25° 42' 14.32"	-80° 9' 17.94"
DD-21	DADE	DADE R-105	25° 41' 25.83"	-80° 9' 24.6"
DD-22	DADE	DADE R-110	25° 40' 37.37"	-80° 9' 17.35"
DD-23	DADE	DADE R-113	25° 40' 6.85"	-80° 9' 19.24"