

Onshore Grab Sample

Sample: WL-20-BB
Sample Taken By: D. Phelps
Sample Collected On: 2/15/11
Splits? N/A

County: Walton
Latitude: 30° 18' 11" N
Longitude: 86° 5' 10.9" W
Datum: WGS 84
Surf. Elev: N/A
Datum: N/A

Fine Data Summary

Total Sample Weight	49.451 grams
Total Fines in Sample	0.005 grams
Total Percent Fines	0.01 %

Dry Sieving Summary

Total Sample Weight	49.297 grams
Total Digested Weight	49.256 grams
Total Carbonate Weight	0.041 grams
Total Silica %	99.92 %
Total Carbonate %	0.08 %
Carbonate/Silica Ratio	0.001

General Comments:

Not Enough Carbonate Material to do Post-Digestion Analysis

Description

Worked By: M. Ladle

Pre-Digestion Grain Size Distribution

Onshore Grab Sample

Sample: WL-20-BB

Total Sample Mass: 49.297 grams


Sieve Size (phi)	Sieve Midpt (phi)	Weight (grams)	Freq Weight %	Cumulative Weight %
-2.25	-2.375	0.000	0.000	0.000
-2.00	-2.125	0.000	0.000	0.000
-1.75	-1.875	0.000	0.000	0.000
-1.50	-1.625	0.000	0.000	0.000
-1.25	-1.375	0.000	0.000	0.000
-1.00	-1.125	0.000	0.000	0.000
-0.75	-0.875	0.000	0.000	0.000
-0.50	-0.625	0.000	0.000	0.000
-0.25	-0.375	0.000	0.000	0.000
0.00	-0.125	0.000	0.000	0.000
0.25	0.125	0.025	0.051	0.051
0.50	0.375	0.060	0.122	0.172
0.75	0.625	0.190	0.385	0.558
1.00	0.875	1.046	2.122	2.680
1.25	1.125	2.332	4.731	7.410
1.50	1.375	8.313	16.863	24.273
1.75	1.625	13.456	27.296	51.569
2.00	1.875	14.016	28.432	80.001
2.25	2.125	6.061	12.295	92.296
2.50	2.375	2.587	5.248	97.543
2.75	2.625	0.740	1.501	99.045
3.00	2.875	0.344	0.698	99.742
3.25	3.125	0.079	0.160	99.903
3.50	3.375	0.034	0.069	99.972
3.75	3.625	0.006	0.012	99.984
4.00	3.875	0.003	0.006	99.990
5.00	4.50	0.005	0.010	100.000

Statistical Results			
Mean:	1.7371	phi	(0.3 mm)
Standard Dev:	0.3779	phi-units	(0.7695 mm)
Skewness:	0.1868	dimensionless	
Kurtosis:	4.3559	dimensionless	
5th Moment:	4.4469	dimensionless	
6th Moment:	50.1731	dimensionless	
RARD *	0.2176	dimensionless	
Median	1.6106	phi	(0.3275 mm)

* RARD = reciprocal absolute relative dispersion (see below)

Statistical Explanation	
Calculations based on the Method of Moments	
Skewness: 3rd Stand. Moment; Exact Gaussian = 0.0	
Kurtosis: 4th Stand. Moment; Exact Gaussian = 3.0	
For Further Explanation, See Basille et al. 2002	
Millimeter data calculated by $mm = 2^{-(\phi)}$	

Reciprocal Absolute Relative Dispersion (RARD) Scale	
< 0.5	Excellent homogeneity (e.g., beaches)
0.5 to 1.0	Good homogeneity
1.0 to 1.33	Fair homogeneity
> 1.33	Poor homogeneity (e.g., glacial)



WL-20-BB

